

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

Supplier's name or trade mark: ASKO

Supplier's address: Sockerbruksgatan 3C, SE - 531 40 Lidköping

Model identifier: WMC6742P.T

General product parameters:

| Parameter | Value | | Parameter | Value | |
|--|----------------|------|---|----------------|----|
| Rated capacity (kg) | 7,0 | | Dimensions in cm | Height | 85 |
| | | | | Width | 60 |
| | | | | Depth | 59 |
| EEl _w | 68,7 | | Energy efficiency class | C | |
| Washing efficiency index | 1,031 | | Rinsing effectiveness (g/kg) | 3,10 | |
| Energy consumption in kWh per cycle, based on the eco 40-60 programme. Actual energy consumption will depend on how the appliance is used. | 0,590 | | Water consumption in litre per cycle, based on the eco 40-60 programme. Actual water consumption will depend on how the appliance is used and on the hardness of the water. | 41 | |
| Maximum temperature inside the treated textile (°C) | Rated capacity | 43 | Remaining moisture content (%) | Rated capacity | 49 |
| | Half | 32 | | Half | 49 |
| | Quarter | 27 | | Quarter | 49 |
| Spin speed (rpm) | Rated capacity | 1400 | Spin-drying efficiency class | B | |
| | Half | 1400 | | | |
| | Quarter | 1400 | | | |
| Programme duration (h:min) | Rated capacity | 2:55 | Type | Free-standing | |
| | Half | 2:15 | | | |
| | Quarter | 2:10 | | | |
| Airborne acoustical noise emissions in the spinning phase (dB(A) re 1 pW) | 76 | | Airborne acoustical noise emission class (a) (spinning phase) | B | |
| Off-mode (W) | 0,48 | | Standby mode (W) | 0,48 | |
| Delay start (W) | 4,67 | | Networked standby (W) | - | |

Minimum duration of the guarantee offered by the manufacturer : 24 months

This product has been designed to release silver ions during the washing cycle

No

Additional information:

<https://www.asko.com>